

L Number	Hits	Search Text	DB	Time stamp
1	10568	(request\$3 or query or suggest\$3) with (load\$3 or download\$3 or display\$3) same (response or OK or Acknowledg\$3 or Ack or affirmative) and @ad<20000509	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/07 17:23
2	640	(request\$3 or query or suggest\$3) with (load\$3 or download\$3 or display\$3) near5 (page\$1! or document) same (response or OK or Acknowledg\$3 or Ack or affirmative) and @ad<20000509	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/07 17:24
3	359	(request\$3 or query or suggest\$3) with (load\$3 or download\$3 or display\$3) near5 (page\$1! or document) with (response or OK or Acknowledg\$3 or Ack or affirmative) and @ad<20000509	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/07 17:24
4	84	(request\$3 or query or suggest\$3) with (load\$3 or download\$3 or display\$3) near5 (web adj (page\$1! or document)) with (response or OK or Acknowledg\$3 or Ack or affirmative) and @ad<20000509	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/07 17:30
5	3	(request\$3 or query or suggest\$3) with (load\$3 or download\$3 or display\$3) near5 (web adj (page\$1! or document)) with ( OK or Acknowledg\$3 or Ack or affirmative) and @ad<20000509	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/07 17:36
6	3	(request\$3 or query or suggest\$3) with (load\$3 or download\$3 or display\$3) with (web adj (page\$1! or document)) with ( OK or Acknowledg\$3 or Ack or affirmative) and @ad<20000509	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/07 17:37
7	5	(request\$3 or query or suggest\$3) with (load\$3 or download\$3 or display\$3) with (web adj (page\$1! or document)) same ( OK or Acknowledg\$3 or Ack or affirmative) and @ad<20000509	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/07 17:39
8	3198304	(request\$3 or query ) near4 ( accept\$3 or agree\$3 or OK or Acknowledg\$3 or Ack or affirmative\$2) near5 (load\$3 or download\$3 or display\$3) with ((page\$1! or document)) e and @ad<20000509	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/07 17:42
9	28	(request\$3 or query ) near4 ( accept\$3 or agree\$3 or OK or Acknowledg\$3 or Ack or affirmative\$2) near5 (load\$3 or download\$3 or display\$3) with ((page\$1! or document)) and @ad<20000509	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/07 17:50
10	2722	query adj5 (user\$1! or client\$! or browser\$1) with ( accept\$3 or agree\$3 or OK or Acknowledg\$3 or Ack or affirmative\$2) or (load\$3 or download\$3 or display\$3) adj5 (web adj (page or document)) and @ad<20000509	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/07 17:52
11	0	(query adj5 (user\$1! or client\$! or browser\$1) with ( Acknowledg\$3 or affirmative\$2 or load\$3 or download\$3 )) adj5 (web adj (page or document)) and @ad<20000509	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/07 17:54
12	0	(query adj5 (user\$1! or client\$! or browser\$1) with ( Acknowledg\$3 or affirmative\$2 or load\$3 or download\$3 )) adj5 (web with (page or document)) and @ad<20000509	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/07 17:54
13	3	(query adj5 (user\$1! or client\$! or browser\$1) with ( Acknowledg\$3 or affirmative\$2 or load\$3 or download\$3 )) with (web with (page or document)) and @ad<20000509	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/07 17:56
14	5	(query adj5 (user\$1! or client\$! or browser\$1) same ( Acknowledg\$3 or affirmative\$2 or load\$3 or download\$3 )) with (web with (page or document)) and @ad<20000509	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/07 17:59

15	41	( (user\$1! or client\$! or browser\$1) near5 (response or accept\$3 or Acknowledg\$3 or affirmative\$2) adj5 (load\$3 or download\$3 or display\$3 )) with (web with (page or document)) and @ad<20000509	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/07 18:03
16	10	( (user\$1! or client\$! or browser\$1) near5 (agree\$3 or accept\$3 or Acknowledg\$3 or affirmative\$2) adj5 (load\$3 or download\$3 or display\$3 )) with (web with (page or document)) and @ad<20000509	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/07 18:11
17	10	(query adj5 (user\$1! or client\$! or browser\$1)) with (load\$3 or download\$3 or display\$3) near4 (web with (page or document)) and @ad<20000509	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/07 18:16
18	0	(response near3 affirmative) with (download\$3 or load\$3 or display\$3) with (web adj (page or document))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/07 18:18
19	0	(response near3 affirmative) same (download\$3 or load\$3 or display\$3) with (web adj (page or document))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/07 18:18
20	44	(response near3 affirmative) and (download\$3 or load\$3 or display\$3) with (web adj (page or document))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/07 18:18
25	0	(remov\$3 or delet\$3) near3 URL4! with (invite adj message)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/07 18:57
26	0	(remov\$3 or delet\$3) near3 URL\$! with (invite adj message)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/07 18:57
27	0	(remov\$3 or delet\$3) with URL\$! with (invite adj message)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/07 18:57
28	0	(remov\$3 or delet\$3) with URL\$! same (invite adj message)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/07 18:58
29	4	(remov\$3 or delet\$3) with (URL\$! or address\$2) same (invite adj message)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/07 18:59
30	4	(remov\$3 or delet\$3) with (URL\$! or address\$2 or link\$1!) same (invite adj message)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/07 19:00
31	7	(remov\$3 or delet\$3) with (URL\$! or (address\$2 adj locator) or link\$1!) with SIP	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/07 19:04
32	2	(remov\$3 or delet\$3 or eliminat\$3) with (URL\$! or (address\$2 adj locator) or link\$1!) with (SIP or (invite adj (type or command or message))) and @ad<20000509	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/07 19:07

33	2	((remov\$3 or delet\$3 or eliminat\$3) with (URL\$! or link\$1!) with ( (invite )) and @ad<20000509	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/07 19:29
34	37	((remov\$3 or delet\$3 or eliminat\$3) with ((URL\$! or link\$1!) near message)) and @ad<20000509	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/07 19:29
35	161	((remov\$3 or delet\$3 or eliminat\$3) with ((URL\$! or link\$1!) near3 message)) and @ad<20000509	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/07 19:29
36	81	((remov\$3 or delet\$3 or eliminat\$3) near4 ((URL\$! or link\$1!) near3 message)) and @ad<20000509	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/07 19:31
37	0	((remov\$3 or delet\$3 or eliminat\$3) near4 ((URL\$! or link\$1!) near3 message)) and @ad<20000509) and invite	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/07 19:30
38	1	((remov\$3 or delet\$3 or eliminat\$3) near4 ((URL\$! ) near3 message)) and @ad<20000509	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/07 19:33
39	4	((remov\$3 or delet\$3 or eliminat\$3) near4 ((URL\$! ) near5 message)) and @ad<20000509	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/07 19:34
40	3581891	((remov\$3 or delet\$3 or eliminat\$3) and @ad<20000509	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/07 19:34
41	187	((remov\$3 or delet\$3 or eliminat\$3) near3 Url and @ad<20000509	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/07 19:48
42	50	((remov\$3 or delet\$3 or eliminat\$3) near3 Url and @ad<20000509) and (browser with (synchroniz\$5 or updat\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/07 19:38
43	11	((remov\$3 or delet\$3 or eliminat\$3) near3 Url same (browser with (synchroniz\$5 or updat\$3)) and @ad<20000509	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/07 19:42
44	0	DALRYMPLE-WILLIAM-C.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/07 19:42
45	4	CHEN-TA-MING.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/07 19:46
46	0	MCKINNON-STEVE.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/07 19:47

47	6	MCKINNON with STEVE.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/07 19:47
48	218	(remov\$3 or delet\$3 or eliminat\$3) near5 (Url\$1 or address\$2 or locator or (location adj indicia)) with (receiv\$3 near3 (message or packet\$1!)) and @ad<20000509	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/07 19:51
49	130	(remov\$3 or delet\$3 or eliminat\$3) near5 (Url\$1 or address\$2 or locator or (location adj indicia)) near5 (receiv\$3 near3 (message or packet\$1!)) and @ad<20000509	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/07 19:51
50	0	(remov\$3 or delet\$3 or eliminat\$3) near5 (Url\$1 or (location adj indicia)) near5 (receiv\$3 near3 (message or packet\$1!)) and @ad<20000509	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/07 19:52
51	2	(remov\$3 or delet\$3 or eliminat\$3) near5 (Url\$1 or (location adj indicia)) with (receiv\$3 near3 (message or packet\$1!)) and @ad<20000509	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/07 19:56
52	2	("5944791").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/07 19:59
53	1	"6668273"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/07 19:59
-	20156	Synchroniz\$5 with (browser\$1! or page\$1! or display\$3) and @ad<20000509	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/03 10:42
-	67596	709/(204,248).ccls and (Synchroniz\$5 with (browser\$1! or page\$1! or display\$3) and @ad<20000509)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/03 10:41
-	900	(709/(204,248).ccls) and (Synchroniz\$5 with (browser\$1! or page\$1! or display\$3) and @ad<20000509)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/03 10:41
-	276	(automatic\$4 or dynamic\$4) with identif\$4 with URL	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/03 10:44
-	6	((709/(204,248).ccls) and (Synchroniz\$5 with (browser\$1! or page\$1! or display\$3) and @ad<20000509)) and ((automatic\$4 or dynamic\$4) with identif\$4 with URL)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 09:21
-	8053	((Synchroniz\$5 with (browser\$1! or page\$1! or display\$3) and @ad<20000509)) and ((automatic\$4 or dynamic\$4) neaer4 identif\$4 with URL)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 09:24
-	1261	((Synchroniz\$5 with (browser\$1! or page\$1! or display\$3) same ((automatic\$4 or dynamic\$4) neaer4 identif\$4 with URL) and @ad<20000509))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 09:23

-	1261	(Synchroniz\$5 with (browser\$1! or page\$1! or display\$3) same ((automatic\$4 or dynamic\$4) neaer4 identif\$4 with URL)) and @ad<20000509	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/06 09:23
-	0	(Synchroniz\$5 with (browser\$1! or page\$1! or display\$3) same ((automatic\$4 or dynamic\$4) near4 identif\$4 with URL)) and @ad<20000509	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/06 09:24
-	0	(Synchroniz\$5 with (browser\$1! or page\$1! or display\$3) same ((automatic\$4 or dynamic\$4) with identif\$4 with URL)) and @ad<20000509	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/06 09:24
-	0	((Synchroniz\$5 with (browser\$1! or page\$1! or display\$3) and @ad<20000509)) and ((automatic\$4 or dynamic\$4) near4 identif\$4 with URL)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/06 09:24
-	6	((Synchroniz\$5 with (browser\$1! or page\$1! or display\$3) and @ad<20000509)) and ((automatic\$4 or dynamic\$4) with (identif\$4 or detect\$3) with URL)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/06 09:37
-	0	automat\$3 adj web adj browser adj synchroniz\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/06 09:38
-	2	automat\$3 near3 web adj browser near4 (replic\$4 or updat\$3 or synchroniz\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/06 13:21
-	305	web adj browser near4 (replic\$4 or updat\$3 or synchroniz\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/06 09:46
-	150	URL with SIP	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/06 13:26
-	2	URL with (SIP\$1! or (invite adj message)) with (embed\$3 or encapsulat\$3 or includ\$3) and @ad<20000510	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/06 13:23
-	22	URL with SIP and @ad<20000509	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/06 14:37
-	9	URL with (SIP or (session adj initiat\$3 adj protocol)) with INVITE and @ad<20000509	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/06 14:39
-	0	URL with (web adj page\$1!) same (SIP or (session adj initiat\$3 adj protocol)) with INVITE and @ad<20000509	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/06 14:39
-	0	URL\$1! with (web adj page\$1!) same (SIP or (session adj initiat\$3 adj protocol)) with INVITE and @ad<20000509	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/06 14:39

-	0	URL\$1! with (web adj page\$1!) and (SIP or (session adj initiat\$3 adj protocol)) with INVITE and @ad<20000509	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 14:39
-	0	URL\$1! with (web adj page\$1!) and (SIP or (session adj initiat\$3 adj protocol)) same INVITE and @ad<20000509	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 14:40
-	3	URL\$1! same (web adj page\$1!) and (SIP or (session adj initiat\$3 adj protocol)) same INVITE and @ad<20000509	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 14:54
-	43	((OS or (operation adj system)) with API with server) and @ad<20000509	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 15:05
-	152	URL with remote near3 (computer or client or browser) and @ad<20000509	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 15:06
-	7	(transmit\$4 or transfer\$4 or comunicat\$3) near3 URL with remote near3 (computer or client or browser) and @ad<20000509	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 15:19
-	0	automatic\$3 near3 shar\$3 adj5 (current adj page) and @ad<20000509	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 16:24
-	1	web adj browser adj interface adj device and @ad<20000509	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 16:26
-	1	browser adj interface adj device and @ad<20000509	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 16:26
-	53	(automatic\$4 or dynamic\$4) near3 (transmit\$4 or transfer\$4 or pass\$3) near3 URL\$!!	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/07 13:35
-	27	((automatic\$4 or dynamic\$4) near3 (transmit\$4 or transfer\$4 or pass\$3) near3 URL\$!!) and @ad<20000509	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/07 17:21

L Number	Hits	Search Text	DB	Time stamp
-	0	session same configur\$5 same (first adj computer) same (second adj computer) same resolution same GUI	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/29 10:24
-	22	session same (re-configur\$5 or reconfigur\$5 or configur\$5) same (first adj computer) same (second adj computer)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 11:32
-	10	(session same (re-configur\$5 or reconfigur\$5 or configur\$5) same (first adj computer) same (second adj computer) ) and @ad<20000724	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/27 11:04
-	420	session same (re-configur\$5 or reconfigur\$5 )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/27 11:13
-	0	session with (re-configur\$5 or reconfigur\$5 ) same resolution and @ad<20000724	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/27 11:14
-	96	session with (re-configur\$5 or reconfigur\$5 ) and @ad<20000724	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/27 11:15
-	2	("5944791").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/27 14:09
-	1	"6542936".PN.	USPAT	2004/01/28 11:30
-	448	browser adj information	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 13:08
-	1	shar\$3 with browser adj information and @ad<20000724	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 11:40
-	1	(709/(204,205,218).ccls.) and shar\$3 with browser adj information and @ad<20000724	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 11:41
-	79	(709/(204,205,218).ccls.) and browser adj information and @ad<20000724	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 13:02
-	359	(chang\$3 or modify\$3 or alter\$1 or add\$2 or delet\$3 or updat\$3) near4 (bookmark or favorite\$1! or history or (user adj preference) or URL\$1! or (address\$2 adj information)) same (browser\$1!) and @ad<20000724	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 13:05
-	148	(chang\$3 or modify\$3 or alter\$1 or add\$2 or delet\$3 or updat\$3) near4 (bookmark or favorite\$1! or history or (user adj preference) ) same (browser\$1!) and @ad<20000724	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 13:05

-	9	browser adj information and ((chang\$3 or modify\$3 or alter\$1 or add\$2 or delet\$3 or updat\$3) near4 (bookmark or favorite\$1! or history or (user adj preference) ) same (browser\$1!) and @ad<20000724 )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 17:21
-	2548952	(transmit\$4 or transfer43 or shar\$3) user adj configur\$5 adj browser adj2 (information or data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 17:22
-	0	(transmit\$4 or transfer43 or shar\$3) near4 user adj configur\$5 adj browser adj2 (information or data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 17:23
-	0	user adj configur\$5 adj browser adj2 (information or data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 17:23
-	1	user with configur\$5 adj browser adj2 (information or data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 17:24
-	0	re-configur\$5 near3 browser adj2 (information or data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 17:24
-	3	re-configur\$5 near3 browser	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 18:21
-	187	@ad<20000724 and (generat\$3 or creat\$3 or send\$3 or transmit\$4 or download\$3 or receiv\$3) with (setup or configur\$5) with browser with (information or data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 18:23
-	10	@ad<20000724 and (generat\$3 or creat\$3 or send\$3 or transmit\$4 or download\$3 or receiv\$3) with (setup or configur\$5) adj browser with (information or data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 18:31
-	0	@ad<20000724 and (generat\$3 or creat\$3 or send\$3 or transmit\$4 or download\$3 or receiv\$3) with ((setup or configur\$5) adj browser adj (information or data))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 18:31
-	1	@ad<20000724 and (generat\$3 or creat\$3 or send\$3 or transmit\$4 or download\$3 or receiv\$3) with ((setup or configur\$5) adj browser near (information or data))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 18:32
-	10	@ad<20000724 and (generat\$3 or creat\$3 or send\$3 or transmit\$4 or download\$3 or receiv\$3) with ((setup or configur\$5) adj browser with (information or data))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 18:33
-	12	@ad<20000724 and (generat\$3 or creat\$3 or send\$3 or transmit\$4 or download\$3 or receiv\$3) with ((setup or configur\$5) adj browser) same (information or data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 18:33
-	30	@ad<20000724 and (generat\$3 or creat\$3 or send\$3 or transmit\$4 or download\$3 or receiv\$3) same ((setup or configur\$5) adj browser) same (information or data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 18:34



-	11	@ad<20000724 and (((generat\$3 or creat\$3) and (send\$3 or transmit\$4 or download\$3 or receiv\$3)) same (setup or configur\$5) adj browser) same (information or data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 18:35
-	15	@ad<20000724 and (((generat\$3 or creat\$3) and (send\$3 or transmit\$4 or download\$3 or receiv\$3)) same (setup or configur\$5) adj browser)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 18:40
-	1	@ad<20000724 and (remote\$2 with (setup or configur\$5) adj browser)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 18:42
-	1	@ad<20000724 and (remote\$2 with (setup or \$2configur\$5) adj browser)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 18:42
-	11	@ad<20000724 and (remote\$2 same (setup or \$2configur\$5) adj browser)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 18:45
-	38	@ad<20000724 and (remote\$2 adj (setup or \$2configur\$5) same browser)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 18:47
-	31	@ad<20000724 and (remote\$2 adj (setup or \$2configur\$5) with (web or page or browser))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 18:49
-	0	@ad<20000724 and (remote\$2 adj (setup or \$2configur\$5) adj (web or page or browser))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 18:49
-	1	@ad<20000724 and (remote\$2 adj (setup or \$2configur\$5) adj (web or page or browser or display or screen))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 18:50
-	0	@ad<20000724 and ((generat\$3 or creat\$3) and (transmit\$4 or send\$3 or receiv\$3 or download\$3)) adj (setup or \$2configur\$5) adj (web or page or browser or display or screen)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 18:51
-	33	@ad<20000724 and ((generat\$3 or creat\$3) or (transmit\$4 or send\$3 or receiv\$3 or download\$3)) adj (setup or \$2configur\$5) adj (web or page or browser or display or screen)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 18:52
-	3	@ad<20000724 and ((generat\$3 or creat\$3) or (transmit\$4 or send\$3 or receiv\$3 or download\$3)) adj (setup or \$2configur\$5) adj (web or page or browser)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 19:01
-	29	@ad<20000724 and ((generat\$3 or creat\$3) and (transmit\$4 or send\$3 or receiv\$3 or download\$3)) with (setup or \$2configur\$5) adj (web or page or browser)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 19:08
-	53	@ad<20000724 and ((generat\$3 or creat\$3) and (transmit\$4 or send\$3 or receiv\$3 or download\$3)) with (setup or \$2configur\$5 or personal\$5) adj (web or page or browser)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 19:09

-	0	@ad<20000724 and ((generat\$3 or creat\$3) and (transmit\$4 or send\$3 or receiv\$3 or download\$3 or remote\$2)) adj (setup or \$2configur\$5 or personal\$5) adj (web or page or browser)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 19:09
-	1	@ad<20000724 and ((generat\$3 or creat\$3) and (transmit\$4 or send\$3 or receiv\$3 or download\$3 or remote\$2)) near (setup or \$2configur\$5 or personal\$5) adj (web or page or browser)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 19:10
-	55	@ad<20000724 and ((generat\$3 or creat\$3) and (transmit\$4 or send\$3 or receiv\$3 or download\$3 or remote\$2)) with (setup or \$2configur\$5 or personal\$5) adj (web or page or browser)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 19:10
-	3	@ad<20000724 and ((generat\$3 or creat\$3) and (transmit\$4 or send\$3 or receiv\$3 or download\$3)) with (setup or \$2configur\$5 or personal\$5) adj (web or page or browser) same remot\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 19:12
-	53	@ad<20000724 and ((generat\$3 or creat\$3) and (transmit\$4 or send\$3 or receiv\$3 or download\$3)) with (setup or \$2configur\$5 or personal\$5) adj (web or page or browser)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 19:21
-	3	Browser\$1 near4 (configur\$5 or setup or personaliz\$5) with (load\$3 or download\$3 or transmit\$4 or transfer\$3 or receiv43) with (second or different) near3 (computer\$1! or browser\$1! or client\$1! or terminal\$1!) and @ad<20000724	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 19:32
-	8	Browser\$1 with (configur\$5 or setup or personaliz\$5) with (load\$3 or download\$3 or transmit\$4 or transfer\$3 or receiv43) with (second or different) near3 (computer\$1! or browser\$1! or client\$1! or terminal\$1!) and @ad<20000724	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 19:40
-	9	Browser\$1 with (configur\$5 or setup or personaliz\$5) same (load\$3 or download\$3 or transmit\$4 or transfer\$3 or receiv43) with (second or different) near3 (computer\$1! or browser\$1! or client\$1! or terminal\$1!) and @ad<20000724	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 19:40
-	265	(email\$3 or e-mail\$3) with (browser near4 (information or data))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 20:22
-	63	(email\$3 or e-mail\$3) with (browser near4 (information or data)) and @ad<20000724	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 20:23
-	3	(email\$3 or e-mail\$3) with (browser near4 (information or data)) same (configur\$5 or reconfigur\$5 or re-configur\$5) and @ad<20000724	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 20:27
-	8	(email\$3 or e-mail\$3) same (browser near4 (information or data)) same (configur\$5 or reconfigur\$5 or re-configur\$5) and @ad<20000724	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 20:27
-	134	(email\$3 or e-mail) same browser\$1! near3 (information or (set\$4 adj up) or data or configur\$5) and @ad<20000724	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/29 10:34

-	146	(email\$3 or e-mail) same browser\$1! near3 (personal\$8 or information or (set\$4 adj up) or data or configur\$5) and @ad<20000724	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/29 10:34
-	2	("6571245").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/30 13:25
-	111	(reconfigur\$5 or re-configur\$5) with (email\$3 or e-mail\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/30 13:26
-	19	((reconfigur\$5 or re-configur\$5) with (email\$3 or e-mail\$3)) and @ad<20000724	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/30 13:27
-	4	((("6571245") or ("6434222")).PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 10:45
-	148	(709/204,218,248,221).ccls. and (reconfigur\$3 or re-configur\$5 or synchroniz\$5 or replicat\$3) with (browser\$1 or page\$1! or display\$3) and @ad<20000724	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 11:39
-	44	(709/204,218,248,221).ccls. and (reconfigur\$3 or re-configur\$5 or synchroniz\$5 or replicat\$3) with (browser\$1) and @ad<20000724	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 11:39

1639 DELET??  
 3403 ELIMINAT???  
 931 URL?  
 16129 LINK?  
 1 ADDRESS??  
 100 IDENTIFIER  
 205 LOCATOR  
 0 ADDRESS??(N) (IDENTIFIER OR LOCATOR)  
 2 ((REMOV??? OR DELET???) OR ELIMINAT???) (W) ((URL? OR  
 LINK?) OR ADDRESS??(N) (IDENTIFIER OR LOCATOR))  
 64 INVITE  
 3365 MESSAGE  
 4827 COMMAND  
 8454 TYPE  
 0 INVITE(N) ((MESSAGE OR COMMAND) OR TYPE)  
 S3 0 ((REMOV??? OR DELET??? OR ELIMINAT???) (W) (URL? OR LINK? OR  
 (ADDRESS??(N) (IDENTIFIER OR LOCATOR))) AND  
 (INVITE(N) (MESSAGE OR COMMAND OR TYPE))  
 ?s (remov??? or delet??? or eliminat???) (w) (url? or link?) (w) (message or command or type)

2327 REMOV???  
 1639 DELET???  
 3403 ELIMINAT???  
 931 URL?  
 16129 LINK?  
 3365 MESSAGE  
 4827 COMMAND  
 8454 TYPE  
 S4 0 ((REMOV??? OR DELET??? OR ELIMINAT???) (W) (URL? OR  
 LINK?) (W) (MESSAGE OR COMMAND OR TYPE)

?

### Status: Path 1 of [Dialog Information Services via Modem]

### Status: Initializing TCP/IP using (UseTelnetProto 1 ServiceID pto-dialog)  
Trying 31060000009999...Open

DIALOG INFORMATION SERVICES

PLEASE LOGON:

\*\*\*\*\* HHHHHHHH SSSSSSSS?

### Status: Signing onto Dialog

\*\*\*\*\*

ENTER PASSWORD:

\*\*\*\*\* HHHHHHHH SSSSSSSS? \*\*\*\*\*

Welcome to DIALOG

### Status: Connected

Dialog level 03.07.00D

Last logoff: 04feb04 11:43:45

Logon file405 07feb04 19:11:58

\*\*\* ANNOUNCEMENT \*\*\*

\*\*\*

--File 654 - US published applications from March 15, 2001 to the present are now online. Please see HELP NEWS 654 for details.

\*\*\*

--File 581 - The 2003 annual reload of Population Demographics is complete. Please see Help News581 for details.

\*\*\*

--File 990 - NewsRoom now contains February 2003 to current records.  
File 992 - NewsRoom 2003 archive has been newly created and contains records from January 2003. The oldest months's records roll out of File 990 and into File 992 on the first weekend of each month.  
To search all 2003 records BEGIN 990, 992, or B NEWS2003, a new OneSearch category.

\*\*\*

--Connect Time joins DialUnits as pricing options on Dialog.  
See HELP CONNECT for information.

\*\*\*

\*\*\*

--SourceOne patents are now delivered to your email inbox as PDF replacing TIFF delivery. See HELP SOURCE1 for more information.

\*\*\*

--Important news for public and academic libraries. See HELP LIBRARY for more information.

\*\*\*

--Important Notice to Freelance Authors--  
See HELP FREELANCE for more information

\*\*\*

NEW FILES RELEASED

\*\*\*DIOGENES: Adverse Drug Events Database (File 181)

\*\*\*World News Connection (File 985)

\*\*\*Dialog NewsRoom - 2003 Archive (File 992)

\*\*\*TRADEMARKSCAN-Czech Republic (File 680)

\*\*\*TRADEMARKSCAN-Hungary (File 681)

\*\*\*TRADEMARKSCAN-Poland (File 682)

\*\*\*

UPDATING RESUMED

\*\*\*

RELOADED

\*\*\*Population Demographics -(File 581)

\*\*\*CLAIMS Citation (Files 220-222)

REMOVED

\*\*\*

>>> Enter BEGIN HOMEBASE for Dialog Announcements <<<  
>>> of new databases, price changes, etc. <<<

\*\*\*\*

\* \* \* ALL NEW CURRENT YEAR RANGES HAVE BEEN \* \* \*  
\* \* \* INSTALLED \* \* \*

SYSTEM:HOME

Cost is in DialUnits

Menu System II: D2 version 1.7.9 term=ASCII

\*\*\* DIALOG HOMEBASE(SM) Main Menu \*\*\*

Information:

1. Announcements (new files, reloads, etc.)
2. Database, Rates, & Command Descriptions
3. Help in Choosing Databases for Your Topic
4. Customer Services (telephone assistance, training, seminars, etc.)
5. Product Descriptions

Connections:

6. DIALOG(R) Document Delivery
7. Data Star(R)

(c) 2003 Dialog, a Thomson business. All rights reserved.

/H = Help

/L = Logoff

/NOMENU = Command Mode

Enter an option number to view information or to connect to an online service. Enter a BEGIN command plus a file number to search a database (e.g., B1 for ERIC).

?b 233

07feb04 19:12:04 User264796 Session D15.1  
\$0.00 0.150 DialUnits FileHomeBase  
\$0.00 Estimated cost FileHomeBase  
\$0.02 TELNET  
\$0.02 Estimated cost this search  
\$0.02 Estimated total session cost 0.150 DialUnits

File 233:Internet & Personal Comp. Abs. 1981-2003/Sep

(c) 2003 EBSCO Pub.

Set Items Description

--- -----

?s (remov??? or delet??? or eliminat???) (w) (URL? or link? or (address??(n) (identifier or locator))) (w) (invite(n) (message or command or type))

2327 REMOV???

1639 DELET???

3403 ELIMINAT???

931 URL?

16129 LINK?

1 ADDESS??

100 IDENTIFIER

205 LOCATOR

0 ADDESS??(N) (IDENTIFIER OR LOCATOR)

64 INVITE

3365 MESSAGE

4827 COMMAND

8454 TYPE

S1 0 (REMOV??? OR DELET??? OR ELIMINAT???) (W) (URL? OR LINK? OR  
(ADDESS??(N) (IDENTIFIER OR  
LOCATOR))) (W) (INVITE(N) (MESSAGE OR COMMAND OR TYPE))

?(remov??? or delet??? or eliminat???) (w) (URL? or link? or (address??(n) (identifier or locator))) (s) (invite(n) (message or command or type))

>>>REMOV??? OR DELE is not a valid accession number in file 233

>>>Nothing to KEEP. Set not created.

?s (remov??? or delet??? or eliminat???) (w) (URL? or link? or (address??(n) (identifier or locator))) (s) (invite(n) (message or command or type))

2327 REMOV??  
 1639 DELET???  
 3403 ELIMINAT???  
 931 URL?  
 16129 LINK?  
 1 ADDESS??  
 100 IDENTIFIER  
 205 LOCATOR  
 0 ADDESS?? (N) (IDENTIFIER OR LOCATOR)  
 64 INVITE  
 3365 MESSAGE  
 4827 COMMAND  
 8454 TYPE  
 S2 0 (REMOV??? OR DELET??? OR ELIMINAT???) (W) (URL? OR LINK? OR  
 (ADDESS?? (N) (IDENTIFIER OR  
 LOCATOR))) (S) (INVITE (N) (MESSAGE OR COMMAND OR TYPE))

?b 647

07feb04 19:20:22 User264796 Session D15.2  
 \$0.71 0.265 DialUnits File233  
 \$0.71 Estimated cost File233  
 \$2.25 TELNET  
 \$2.96 Estimated cost this search  
 \$2.98 Estimated total session cost 0.415 DialUnits

File 647:CMP Computer Fulltext 1988-2004/Jan W4  
 (c) 2004 CMP Media, LLC

Set Items Description  
 ---

?s (remov??? or delet??? or eliminat???) (w) (URL? or link? or (address?? (n) (identifier or locator))) (s) (invite (n) (message or command or type))

11637 REMOV???  
 3755 DELET???  
 25070 ELIMINAT???  
 2437 URL?  
 51261 LINK?  
 0 ADDESS??  
 420 IDENTIFIER  
 451 LOCATOR  
 0 ADDESS?? (N) (IDENTIFIER OR LOCATOR)  
 824 INVITE  
 16987 MESSAGE  
 8859 COMMAND  
 30828 TYPE  
 S1 0 (REMOV??? OR DELET??? OR ELIMINAT???) (W) (URL? OR LINK? OR  
 (ADDESS?? (N) (IDENTIFIER OR  
 LOCATOR))) (S) (INVITE (N) (MESSAGE OR COMMAND OR TYPE))

?s (remov??? or delet??? or eliminat???) (s) (URL? or link? or (address?? (n) (identifier or locator))) (w) (invite (n) (message or command or type))

11637 REMOV???  
 3755 DELET???  
 25070 ELIMINAT???  
 2437 URL?  
 51261 LINK?  
 0 ADDESS??  
 420 IDENTIFIER  
 451 LOCATOR  
 0 ADDESS?? (N) (IDENTIFIER OR LOCATOR)  
 824 INVITE  
 16987 MESSAGE  
 8859 COMMAND  
 30828 TYPE  
 S2 0 (REMOV??? OR DELET??? OR ELIMINAT???) (S) (URL? OR LINK? OR  
 (ADDESS?? (N) (IDENTIFIER OR  
 LOCATOR))) (W) (INVITE (N) (MESSAGE OR COMMAND OR TYPE))

?s (remov??? or delet??? or eliminat???) (w) (URL? or link? or (address?? (n) (identifier or locator))) (w) (SIP)

11637 REMOV???

```

3755 DELET?
25070 ELIMINAT???
2437 URL?
51261 LINK?
0 ADDESS??
420 IDENTIFIER
451 LOCATOR
0 ADDESS?? (N) (IDENTIFIER OR LOCATOR)
575 SIP
S3 0 (REMOV??? OR DELET??? OR ELIMINAT???) (W) (URL? OR LINK? OR
    (ADDESS?? (N) (IDENTIFIER OR LOCATOR))) (W) (SIP)

```

?b 233

```

07feb04 19:23:07 User264796 Session D15.3
$1.75 0.340 DialUnits File647
$1.75 Estimated cost File647
$0.75 TELNET
$2.50 Estimated cost this search
$5.48 Estimated total session cost 0.755 DialUnits

```

File 233:Internet & Personal Comp. Abs. 1981-2003/Sep  
(c) 2003 EBSCO Pub.

```

Set Items Description
---

```

```

?s (remov??? or delet??? or eliminat???) (w) (URL? or link? or (address??(n) (identifier or l
ocator))) (w) (SIP)

```

```

2327 REMOV???
1639 DELET???
3403 ELIMINAT???
931 URL?
16129 LINK?
1 ADDESS??
100 IDENTIFIER
205 LOCATOR
0 ADDESS?? (N) (IDENTIFIER OR LOCATOR)
132 SIP

```

```

S1 0 (REMOV??? OR DELET??? OR ELIMINAT???) (W) (URL? OR LINK? OR
    (ADDESS?? (N) (IDENTIFIER OR LOCATOR))) (W) (SIP)

```

```

?s (remov??? or delet??? or eliminat???) (s) (URL? or link? or (address??(n) (identifier or l
ocator))) (s) ((invite(n) (message or command or type)) or SIP)

```

>>>Unmatched parentheses

```

?s (remov??? or delet??? or eliminat???) (s) (URL? or link? or (address??(n) (identifier or l
ocator))) (s) ((invite(n) (message or command or type)) or SIP)

```

```

2327 REMOV???
1639 DELET???
3403 ELIMINAT???
931 URL?
16129 LINK?
1 ADDESS??
100 IDENTIFIER
205 LOCATOR
0 ADDESS?? (N) (IDENTIFIER OR LOCATOR)
64 INVITE
3365 MESSAGE
4827 COMMAND
8454 TYPE
0 INVITE (N) ((MESSAGE OR COMMAND) OR TYPE)
132 SIP

```

```

S2 0 (REMOV??? OR DELET??? OR ELIMINAT???) (S) (URL? OR LINK? OR
    (ADDESS?? (N) (IDENTIFIER OR
    LOCATOR))) (S) ((INVITE (N) (MESSAGE OR COMMAND OR TYPE)) OR
    SIP)

```

```

?s (remov??? or delet??? or eliminat???) (w) (URL? or link? or (address??(n) (identifier or l
ocator))) (and ) (invite(n) (message or command or type))

```

>>>Invalid syntax

```

?s (remov??? or delet??? or eliminat???) (w) (URL? or link? or (address??(n) (identifier or l
ocator))) and (invite(n) (message or command or type))

```

```

2327 REMOV???

```